Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1 .	1582805	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 14:55
S2	5	"608722".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:33
S3	5	"837119".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 12:22
S4	6	"185591".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 12:23
S5	1300	hierarchical adj file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 12:23
S6	997	S5 and @ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 12:24
S7	767	S6 and (file adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 12:24
S8	322	S7 and (root adj directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 12:25

			T			
S9 -	9	S8 and (sub-hierarch\$4 or subhierarch\$4 or sub-hierarch\$4 or sybsystem or sub-system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 13:35
S10	94	Hidden near2 (file adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 13:36
S11	74	S10 and @ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 15:18
S12	6	"337114".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:26
S13	149	backup adj directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:26
S14	119	S13 and @ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2005/12/05 13:27
ļ			DERWENT; IBM_TDB			
S15	1	"20040267801" and relocat\$5	US-PGPUB; USPAT; USOCR;	OR	OFF	2006/04/14 14:56
			EPO; JPO; DERWENT; IBM_TDB			
S16	101	Hidden near2 (file adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 15:19

S17	75	S16 and @ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR :	OFF	2006/04/14 15:19
S18	. 1	S17 and "20040133790"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/04/14 15:19
S19	0.:	S17 and ((exchang\$4 or relocat\$4) with (director\$4 or sub?director\$4 or subdirector\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 15:20
S20	2556	((exchang\$4 or relocat\$4) with (director\$4 or sub?director\$4 or subdirector\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 15:29
S21	818	((exchang\$4 or relocat\$4) near3 (director\$4 or sub?director\$4 or subdirector\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 15:21
S22	528	S21 and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 15:21
S23	127	S22 and (backup or back?up or backup\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 15:22
S24	2662	((exchang\$4 or relocat\$4 or swap\$4) with (director\$4 or sub?director\$4 or subdirector\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 15:30

		604 10 1 "200040"	110 000:10	OD.	٥٢٢	2006/04/44 45 31
S25	1787	S24 and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 15:31
S26	1129	S25 and (back or back?up or backup\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 15:31
S27	859	((exchang\$4 or relocat\$4 or swap\$4) near3 (director\$4 or sub?director\$4 or subdirector\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/04/14 16:17
S28	563	S27 and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 15:31
S29	351	S28 and (back or back?up or backup\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 15:32
S30	197	S29 and accessible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 15:33
S31	16	S30 and swap\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 16:19
S32		(exchang\$4 or relocat\$4 or swap\$4) near3 (root adj directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/04/14 16:18

S33		S32 and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 16:17
S34	4027	root adj directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 16:19
S35	2713	S34 and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 16:19
S36	66	S35 and ((relocat\$4 or mov\$3 or swap\$4) with (root adj directory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 16:20
S37	63	S35 and ((relocat\$4 or mov\$3) with (root adj directory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 16:20